
Q2 offers











Surgical



Decon



Restorative

Support & Service



and much more!

Go Electric

NLX nano

RETRO FITTED MICROMOTOR

Electric micromotors are the driving force behind speed increasing handpieces and can be fully integrated into the delivery system of most new and existing dental chairs. They can be retro fitted by an engineer or come as an option when buying new chairs. Controlling the specific speed and torque of micromotors within existing platforms is made easy thanks to built-in control pads.

Speed increasing contra-angles not only do everything a turbine does using the same FG burs, they provide a constant torque from the micromotor that does not decrease with resistance and higher load with no loss of power as they come in contact with the tooth.





To discuss the offers & options contact NSK:

OFFER 1 BUY 3 Ti-Max Z95L AND GET OPTION 1 FREE



OFFER 2 BUY 4 Ti-Max Z95L AND GET OPTION 3 FREE



OFFER 3 BUY ANY OF THE BUILT-IN OPTIONS BELOW

AND GET FREE nano95LS speed increasing contra-angle



option 1 NLX nano micromotor & BUILT-IN KIT * (including MultiPad) RRP €2,370

option 2 NLX nano micromotor & BUILT-IN KIT * + Varios170 Lux ULTRASONIC

HANDPIECE (tip options for scaling perio, endo & restorative) RRP €3,955

option 3 NLX plus micromotor (includes Rotary Endo functions) & BUILT-IN KIT *

(including MultiPad) RRP €3,067

option 4 NLX plus micromotor (includes Rotary Endo functions) & BUILT-IN KIT *

(including MultiPad) + Varios170 Lux ULTRASONIC HANDPIECE (tip options for scaling, perio,

endo & restorative) RRP €4,432

option 5 Varios 170 Lux ULTRASONIC HANDPIECE (tip options for scaling perio, endo & restorative)

+ BUILT-IN KIT * (including MultiPad) RRP €1,620

 $\hbox{\tt *Excludes install. Through participating dealers only}.$

NLX nano

PORTABLE MICROMOTOR

- Portable electric micromotor for connecting slow, straight and speed increasing handpieces
- Puts you in control set your own speeds Helps to manage aerosol generation
- Connects to your existing cart

MODEL NLX nano Portable CODE Y1001362 RRP €2,794



OFFER 1

NLX nano Portable RRP €2,794

+ FREE Ti-Max Z95L, WORTH €1,697



OFFER 2

NLX nano Portable €1,812 + FREE S-Max M95L, WORTH €1,122



Contra-angles

Ti-Max

2 + 1 FREE*

- $\bullet \ \text{Lightweight external titanium body} \ \bullet \ \textbf{Optic with internal water} \ \bullet \ \text{Small head/narrow neck}$
- Unique spray switch on Z95L, Z45L, Z25L 3 year warranty



- Optic
- 1:5 Increasing+Spray switch
- Head size ø8.9 x 13.4mm

MODEL Z95L CODE C1034001-SW RRP €1,697



- Optic
- 1:5 Increasing
- 10% shorter & lighter than Z95L
- Head size Ø8.9 x 13.4mm MODEL nano95LS CODE C1099001 RRP €1,655



- Optic
- 1:4.2 Increasing+Spray switch
- 45° head
- Head size ø9.6 x 14.5mm
- Ideal for minor oral surgery too
- For regular or extra long (25mm) FG burs

MODEL Z45L CODE C1064001 RRP €1,697



- Optic
- 1:1 Direct Drive +Spray switch

MODEL Z25L CODE C1038001-SW RRP €1.378





S-Max

3 + 1 FREE*

• Stainless steel • All with internal water • Choice of optic & non-optic • 2 year warranty



- Optic
- 1:5 Increasing
- Head size 10 x H.14.6mm

MODEL M95L CODE C1023001 RRP €1,122

- Non-Optic
- 1:5 Increasing
- Head size 10 x H.14.6mm

MODEL M95 CODE C1026001 RRP €909



- Optic
- 1:1 Direct Drive

MODEL M25L CODE C1024001 RRP €909

- Non-Optic
- 1:1 Direct Drive

MODEL M25 CODE C1027001 RRP €597



- Optic
- 4:1 Reducing

MODEL M15L CODE C1025001 RRP €1,063

- Non-Optic
- 4:1 Reducing

MODEL M15 CODE C1028001 RRP €709



- Non-Optic
- 1:1 Straight

MODEL M65 CODE H1008001 RRP €570

For a full range of NSK Contra-angles



FX

1 + 1 FREE*

• 12 month warranty



- Non-Optic Contra-angle
- 1:1 Direct Drive
- No internal water

• Push button MODEL FX25m CODE C1052001 RRP €281



- Non-Optic Straight
- 1:1 Direct Drive
- No internal water

MODEL FX65m CODE H1014001 RRP €281



3 FOR €208*

• 12 month warranty



- Non-Optic Contra-angle
- 1:1 Direct Drive
- No internal water

MODEL NAC-EC CODE Y110148 RRP €165



Turbines

Ti-Max

2 + 1 FREE*

• Lightweight external titanium body • Clean head system • 4 hole spray • 3 year warranty



- Optic
- Power 26w · Std head:
- Ø 12.5 x 13.1 mm

MODEL Z900L CODE P1111001 RRP €1,304

Also available in fittings for KaVo®, Sirona®, W&H®, Bien-Air®



- Optic
- Power 23w
- Mini head: Ø 10.8 x 12.1 mm

MODEL Z800L CODE P1110001 RRP €1,304

Also available in fittings for KaVo®, Sirona®, W&H®, Bien-Air®



NEW

- Optic
- Power 20w
- Micro head: Ø 9 x 10.8 mm

MODEL Z Micro CODE PA2357001 RRP €1,303

Also available in fittings for KaVo®, Sirona®

for regular or short shank burs

For full info on models/order codes, click on the QR code



S-Max

OPTIC 3 + 1 FREE*

NON-OPTIC 3 FOR €1,200*



MODEL M900L CODE P1254001 RRP €794

Also available in fittings for KaVo®, Sirona®, W&H®, Bien-Air® RRP €834



- Optic
- Power 23w
- Mini head: Ø 10.6x12.4mm

MODEL M800L CODE P1253001 RRP €794

• Stainless steel • Enhanced power • 4 hole spray • DIY cartridge change • Clean head system • 2 year warranty

Also available in fittings for KaVo® RRP €834



- Non-Optic
- Power 26w
- Std head: Ø 12.1 x 13.3 mm

MODEL M900 CODE P1256001 RRP €741

Also available in fittings for KaVo®, W&H® RRP €778



- Non-Optic
- Power 23w
- Mini head: Ø 10.6x12.4mm

MODEL M800 CODE P1255001 RRP €741

For full info on models/order codes click on the QR code



Pana-Max2

1 + 1 FREE*

• Non-Optic turbine with single hole spray • Save time/money with DIY cartridge change • Clean head system • 12 month warranty



- Non-Optic
- Head:
- Ø 11.2 x 13.4 mm Coupling connection
- MODEL Pana-Max2

CODE P1211001 RRP €506

for NSK PTL coupling

- Non-Optic
- Head:
- Ø 11.2 x 13.4 mm
- · Coupling connection

MODEL Pana-Max2 KV CODE P1212001 RRP €519

for KaVo® MULTIflex® coupling



- Non-Optic
- Head:
- Ø 11.2 x 13.4 mm
- Direct connection MODEL Pana-Max2 M4

CODE P1154001 RRP €437

For Midwest M4 hose

- Non-Optic
- Head:
- Ø 11.2 x 13.4 mm Direct connection
- MODEL Pana-Max2 B2 CODE P1155001

RRP €437 for Borden hose





Surgical

VarioSurg3

ULTRASONIC SURGERY SYSTEM

50% OFF FOR EXISTING Surgic Pro / Pro2 / XT USERS**

OR

FREE 2nd HANDPIECE/CORD OR 12 EXTRA TIPS OR AN OSSEO 100+

- Piezo technology bone surgery system with LED.
- Lightweight slimline handpiece.
- Contains a tip stand with 6 tips SG11, SG6D & SG7D for sinus lifts. H-SG1 for cutting bone with SG3 & SG5 for scraping.
- Wide range of tips available for fast and more precise treatments.

MODEL VarioSurg3 CODE Y1002726 RRP €8,593



For a full range of tips



For the core range of tips

VarioSurg tips 1 + 1 FREE*





LINK OPTIONS

Link VarioSurg3 with Surgic Pro or Surgic Pro2

Control two units with one foot pedal. Choose a Link Stand or store everything on an iCart where you can adjust the height and move it around on its wheels.



Linking Kit for Surgic Pro

MODEL Link Stand/Cable CODE Y1002729 RRP €546



Linking Kit for Surgic Pro2

MODEL Link Stand2 CODE Z1452001 RRP €342

MODEL Wireless Link Module CODE Z1402001 RRP €265



iCart

MODEL iCart Duo CODE \$9090 with Surgic Pro link cable (CODE Z1189001)

MODEL iCart Duo CODE \$9090 with Surgic Pro2 link module (CODE Z1402001)

RRP €800

^{*}Terms and conditions apply. Offers only via participating dealers. ‡VarioSurg3 model excludes foot pedal on 50% off promotions only, as it links to the Surgic Pro / Pro2.

Surgical

Surgic Pro2

NEW

SURGICAL MICROMOTOR

- Compact new motor: 25% shorter, 9% lighter than current motor Greatly improved balance Link by Bluetooth
- Significantly improved optics (LED) 2 year warranty

Complete Kit contains:

- Control unit
- Motor/Cord
- 20:1 contra angle
- Wireless foot control
- Optic
- With Ti-Max X-SG20L

MODEL Surgic Pro2 CODE Y1004195 RRP €6,225

- Non-Optic
- With S-Max SG20

MODEL Surgic Pro2 CODE Y1004196 RRP €4,646



BUY ANY Surgic Pro2 AND GET Osseo 100+ FOR FREE*



MODEL Osseo 100+ CODE Y1004176

LINK BY BLUETOOTH

- Wireless Foot Control
- iPad
- Variosurg3 (Surgical Piezo) operate with 1 wireless Foot control
- Osseo100+ confirms ISQ value over a shared interface



ADDITIONAL MOTOR/CORD



Optic

MODEL SGL80M CODE Y1004211 RRP €2,765



• Non-Optic

MODEL SG80M

CODE Y1004212

RRP €4,646

FREE 20:1 IMPLANT HANDPIECE OR SURGICAL STRAIGHT

WHEN YOU BUY AN ADDITIONAL MOTOR/CORD



Osseo 100+

OSSEOINTEGRATION MONITORING DEVICE

Osseo 100+ measures implant stability and osseointegration to enhance decisions about when to load the implant. This is invaluable when using protocols with shorter treatment times and treating higher risk patients. The simple steps to measures the ISQ value allow the implant loading period to be planned in advance.

MODEL Osseo 100+ CODE Y1004176 RRP €2,884

€2,019



*Terms and conditions apply. Offers only available through participating dealers.

Surgical

Surgic Pro

SURGICAL MOTOR UNIT

Complete Kit contains:

- Control unit
- Motor/Cord
- 20:1 contra angle
- 2 year warranty
- Corded foot control
- Optic
- With Ti-Max X-SG20L

MODEL Surgic Pro CODE Y1003586 RRP €6,381

- Non-Optic
- With S-Max SG20

MODEL Surgic Pro CODE Y1003587 RRP €4 763



FREE 2 ADDITIONAL 20:1 CONTRA-ANGLES*

WITH Surgic Pro COMPLETE KITS

ADDITIONAL MOTOR/CORD



Optic

MODEL SGL70M CODE E1023001 RRP €2,834



Non-Optic

MODEL SG70M CODE E1025001 RRP €1,970

IRRIGATION TUBING

• Used with Surgic Pro / Pro2 / XT and VarioSurg3

RRP €66.90



Irrigation tubing x5 (disposable) CODE Y900079 RRP €66.40



Irrigation Tubing x1 (Autoclavable) CODE S900055

FREE 20:1 IMPLANT HANDPIECE OR SURGICAL STRAIGHT

WHEN YOU BUY A SPARE MOTOR/CORD



7YGOMATIC HANDPIFCE

• Non-Optic • 20:1 Reduction • Twist chuck • 12 Month warranty

NSK's new handpiece for Zygomatic & Pterygoid implants. Its unique angulated shape offers optimal access and visibility.



MODEL SGX-E20R CODE HA1200001 RRP €1,670

1 + 1 FREE*

IMPLANT CONTRA-ANGLES 20:1

• Max speed: 2,000min⁻¹ • 2 year warranty



- Optic & Dismantleable
- MODEL Ti-Max X-DSG20L CODE C1068001 RRP €1,625
- Optic

MODEL Ti-Max X-SG20L CODE C1003001 RRP €1,355

• Non-Optic

MODEL S-Max SG20 CODE C1010001 RRP €1,143

SURGICAL STRAIGHTS 1:1

- Used with standard HP burs 2 year warranty
 - Optic

MODEL Ti-Max X-SG65L CODE H1009001 RRP €991

TRIPLE PACK **OFFER €1,922**°

Non-Optic

MODEL Ti-Max X-SG65 CODE H1038001 RRP €678

TRIPLE PACK **OFFER €1,364***

The state of

^{*}Terms and conditions apply. Offers only available through participating dealers.

Mobile dentistry

VIVA ace

MOBIL F DENTISTRY SYSTEM

- Ideal as a surgery back up or to visit shielded patients
- Lightweight micromotor with additional endo functions
- Multipurpose ultrasonic handpiece
- Quick setup and storage
- 4-level adjustable height and angle





MODEL VIVA ace

Width 462 mm, Height 284 mm, Depth 292 mm

iProphy

CORDLESS PROPHY HANDPIECE

The complete kit comes with a 4:1 reduction head for screw-in prophy cups/ brushes. Alternatively a PR-F head (optional extra) can be used that connects to disposable Prophy heads.

MODEL iProphy Complete Kit CODE Y1500015 RRP €1,215



OFFER 2×



FREE S-Max M95L, M25L & M65 Handpieces*

Endodontics

Endo-Mate TC2

CORDLESS ENDO MOTOR/HANDPIECE

- Large LCD display
- 5 programmes for different file systems
- Supports most major brands of Ni-Ti files
- Torque control facility ranging from 0.1 to 4.0 Ncm depending on head:gear ratio
- Auto-reverse and alarm function sounds an audible alert when preset torque level has been reached

MODEL Endo-Mate TC2 CODE Y1001027 RRP €1,818



Endo-Mate DT2

CORDED ENDO MOTOR/HANDPIECE

- Large LCD display
- Store up to 9 speed and torque settings
- Use with Ni-Ti files from most major suppliers
- Torque control from 0.1 to 6.5 Ncm depending on

head:gear ratio

• Auto-reverse on, auto-stop, autoreverse off

MODEL Endo-Mate DT2 CODE Y1004230 RRP €1,710

BUY Endo-Mate DT2 AND

iPex II

APEX LOCATOR

- Accurate measurement of any root canal using SmartLogic technology
- Operates in all conditions, including dry, wet and bloody canals

MODEL iPex II





Oral Hygiene

Varios Combi Pro iPiezo engine®

TWO ORAL CARE SYSTEMS IN ONE!





Note: Connection to external 6mm air & water line sockets are needed to run this unit. Perio Chamber also available, code Y1003042, RRP €1.297.

Varios 970 iPiezo engine®

ULTRASONIC SCALER

Ultrasonic scalers not only offer patients a more comfortable experience as less water is needed, but offer the user a wide range of 70 tips, not only for scaling/ perio/implant maintenance, but for endo, extractions, restorative & MI applications.

Units come with:

- 1 handpiece
- G4, G8 & G16 tips
- 3 tip wrenches
- sterilisation case

Optic

MODEL Varios 970 LUX CODE Y1004161 RRP €3.081

• Non-Optic

MODEL Varios 970 CODE Y1004160 RRP €2,651



OFFER + 2 FREE



HANDPIECES & STERILISATION CASES**

*EXCLUDING EXTRA TIPS/TIP WRENCHES

Varios2 handpiece



MODEL VA2-LUX-HP CODE E351050 RRP €588



Varios2 handpiece

Non-Optic

MODEL VA2-HP CODE F350050 RRP €322

TRIPLE PACK **OFFER €1,193**

TRIPLE PACK **OFFER €686***

SCALER TIPS 1 + 1 FREE





Oral Hygiene

Scaler Tips

1 + 1 FREE*

TIPS FOR VARIOS **ULTRASONIC SCALER**




Full range of tips

TIPS FOR AIR SCALERS



Tips for Air Scaler



AIR SCALERS



Direct connection airscaler

- Oscillation frequency 5,600-5,850Hz
- Kit includes 3 scaler tips

MODEL AS2000 CODE T698001 (Midwest M4 hose) CODE T697001 (Borden B2/B3 hose) RRP €545 each



Optic air scaler with coupling connection

- Oscillation frequency 6,200-5,850HzScratch resistant with titanium body
- Kit includes 3 scaler tips

MODEL Ti-Max S970L CODE T1005001** RRP €1,461

**also available in KaVo® fitting T1015001 and Sirona® fitting T1013001

FREE NAC-EC WITH AS200

FREE 2 × NAC-EC WITH S970

NAC-EC 3 FOR €215*

PROPHY HANDPIECES

FX1+1FREE*




- Max speed 1,000 rpm
- Brushes/Cups: Screw in

MODEL EX57m CODE C1054001 RRP €316

- Max speed 40,000 rpm
- Brushes/Cups: Disposable Prophy heads

MODEL FX65m CODE H1014001 RRP €281





NAC-FC

- Max speed 5,000 rpm
- Brushes/Cups: Snap on cups

MODEL AR-EC(k) CODE Y110165 RRP €171

- Max speed 5,000 rpm
- Brushes/Cups: Screw in MODEL AR-EC(s) CODE Y110164 RRP €171
- Max speed 30,000 rpm
- Brushes/Cups:

Latch grip

MODEL NAC-EC CODE Y110148 RRP €165



*Terms and conditions apply. Offers only available through participating dealers.

Oral Hygiene

Prophy-Mate neo

SUPRAGINGIVAL AIR POLISHER



- Compact and lightweight
- Includes 60° and 80° nozzles
- 360° rotation
- Packed in a handy case
- Easily dismantled for autoclaving
- Includes 6 sachets of FLASH pearl® that quickly removes stains and plaque

CODE Y135029 for NSK PTL coupling* CODE Y135030 for KaVo® MULTIflex® LUX coupling CODE Y135031 for Sirona® quick coupling CODE Y135032 for W&H® Roto Quick® coupling CODE Y135033 for Bien-Air® Unifix® coupling

RRP €1 196



FREE SECOND HANDPIECE WORTH €456*



Prophy-Mate neo nozzles

CODE T797012 60° nozzle RRP €127

CODE T797013 80° nozzle RRP €127



• Calcium carbonate (54µm) based powder for stain removal



4 x 300 g bottles CODE Y900698 RRP €146

100 x 15 g sachets CODE Y900693 RRP €201

SOFTpearl NEW

• Glycine based powder (65µm) for moderate stain removal. Pleasant taste with no flavourings, ideal for use on children, and patients with allergies.



4 x 250 g bottles CODE Y1500721 RRP €149

1 + 1 FREE*

BUY ANY 2 PACKS GET A Prophy-Mate neo NOZZLE FREE

Perio-Mate

BIOFII M FRASFR

- Avoids injury to delicate periodontal pockets
- Smooth 360° rotation
- Flexible plastic nozzle tip for better access to difficult to reach areas
- Ultra-fine water spray and Perio-Mate powder eradicate biofilm in just 20 seconds
- Packed in a handy case with 160g powder



CODE Y1002655 CODE Y1002656 CODE Y1002657 CODE Y1002658

CODE Y1002654 for NSK coupling for KaVo® MULTIflex® LUX coupling for Sirona® quick coupling for W&H® Roto Quick® coupling for Bien-Air® Unifix® coupling

RRP €1,362





FREE SECOND HANDPIECE WORTH €460*



- Glycine based powder (25µm)
- 2x 160 g bottles

Perio-Mate Powder CODE Y900938 RRP €102



• Pack of 40 Perio-Mate Tip Nozzles CODE Y1002741 RRP €105

Prophy-Mate neo



Perio-Mate

€1,978*





AUTOMATED HANDPIECE LUBRICATION UNIT

- Pre-dosed lubrication based on handpiece type (high speed or slow speed)
- Thorough cleaning and lubrication with simple operation
- Chuck cleaning function ensures that the chuck is thoroughly cleaned and lubricated
- Purging select mode ensures complete removal of excess oil
- Integrated 1.2 litre oil tank
- Width 280 mm, Height 350 mm, Depth 240 mm
- Weight 6.5 kg



2x High Speed Ports, 2x Slow Speed Ports

MODEL C2 CODE Y1002787 RRP €2.800



1x High Speed Ports, 3x Slow Speed Ports

MODEL C3 CODE Y1002788 RRP €2,871



Compressed air connection required 5-6 bar. 6mm air line required, ideally with a shut off valve.

HALF PRICE €1,400

Pana-Spray Plus

HANDPIECE & AIR MOTOR LUBRICANT

PANA SPRAY Plus is a specially formulated, highly effective general handpiece and air motor lubricant. Frequent application of PANA SPRAY Plus will assure handpiece and air motor performance and durability. Apply PANA SPRAY Plus every time before autoclaving any handpiece.

MODEL Pana-Spray Plus 500 ml CODE Z182100





PANA-SPRAY PLUS NOZZLES

MODEL Phatelus Spray Nozzle CODE P183090 RRP €12.70

• For High speed attachments and air motors which attach to Phatelus and Mach Couplings

MODEL KV Nozzle CODE Z090051 RRP €12.70

• For KaVo® MULTIflex® LUX

MODEL SR Nozzle CODE Z090052 RRP €12.70

• For Sirona® Quick Coupling



MODEL WH Nozzle CODE Z090054 RRP €12.70

• For W&H® Roto Quick



MODEL BA Nozzle CODE Z090053 RRP €12.70

• For Bien-Air® Unifix®



MODEL QD Nozzle CODE Z096090 RRP €12.10

• For NSK QD High Speed coupling connection



MODEL E-Type Spray Nozzle CODE Z019090 RRP €12.10

For E-Type attachments



MODEL F-Type Spray Nozzle CODE Z256090

• For ENDO-MATE TC2 / DT & iSD900 heads

MODEL Tip Nozzle CODE Z020201 RRP €8.60



• For Air Motors, Direct Connection turbines & oiling into the chuck (where the bur goes)

MODEL O-ring for E-type nozzle CODE 0312080100 RRP €4.20

CONTACT **NSK**

Ireland - Sales & Services Manager Jonathan Singh jsingh@nsk-uk.com +44 7464 675158

NSK United Kingdom LTD www.mynsk.ie Office 4, Gateway 1000 Arlington Business Park, Whittle Way Stevenage, SG1 2FP, UK - info@nsk-uk.com - +44 1438 310670

